Resource Concern	Description of Concern	Land Use	Resource Concern	Planning Criteria		Measurement & Assessment
- Cause A resource concern (RC) is an expected degradation of the soil, water, air, plant, or animal resource base to an extent that the sustainability or intended use of the resource is impaired. Because NRCS		* Required Assessment	Component For planning purposes, Some resource concerns are divided into components where there is a clear distinction in the causal factors, the mitigating	A planning criterion is a quexisting condition of the na additional treatment is need Planning Considerati potential actions or activitie identified resource concern action. Planning considerat	tural resources on a site to determine whether led to address a specific potential resource concern.	Tools Description of the technology or process for determining if assessment criteria are met.
quantifies or describes resource concerns as part of a comprehensive conservation planning process that includes client objectives, human and energy resources are considered components of the resource base. The "Cause" is the specific reason or threat to the resource that results in the resource concern.			environmental effect.	Screening level criteria are defined, when appropriate, to identify sites with conditions that have little or no probability of	Basic Assessment Level Basic assessment level criteria are used when a site does not meet screening level criteria, or when no screening level criteria are defined. Assessment levels are also used when formulating and evaluating alternatives. National criteria establish the minimum for all sites. States may add state- specific criteria to address local conditions.	

SOIL	Description	Land Use	Component	Screening	Assessment Level	Assessment Tools
		Crop*Developed Land*Farmsteads*	Sheet & Rill	Permanent ground cover >	Water erosion rate $\leq T$	RUSLE2
SOIL EROSION -	Detachment and transportation of soil particles caused by rainfall runoff/splash, irrigation	 Associated Ag Land* Designated Protected Area* Other Rural Land* Pasture* 	Wind	90% and slope < 10%	Wind erosion rate $\leq T$	WEPS
Sheet, rill, & wind erosion	runoff or wind that degrades soil quality.	• Forest*	Sheet & Rill Wind	Soil surface organic residue cover > 80%	Site is stable and without visible signs of erosion	Visual Inspection
	quanty.	• Range*	Sheet & Rill	State established criteria.	RHA - soil site stability - slight to moderate or less	RHA - Rangeland Health Assessment
		Runge	Wind		OR Rangeland Planned Trend is positive	Rangeland Trend Worksheet
			Ephemeral gullies	Ephemeral gullies are not occuring	Conservation practices and managements are in place to prevent or control ephemeral gullies	
SOIL EROSION – Concentrated flow erosion Ephemeral gullies occur in the same flow area and are obscure by tillage. This includes concentrated flow erosion	enlarge progressively by head cutting and/or lateral widening. Ephemeral gullies occur in the	• Crop*	Classic gullies	Classic gullies are not present	Classic gully management is adequate to stop the progression of head cutting and widening and are offsite impacts are minimized by vegetation and/or structures	Field measurements / observations
	by tillage. This includes concentrated flow erosion caused by runoff from rainfall,	 Forest* Farmsteads* Pasture* Range* Developed Land* Associated Ag Land* Designated Protected Area* Other Rural Land* 	Classic gullies	Classic gullies are not present	Classic gully management is adequate to stop the progression of head cutting and widening and are offsite impacts are minimized by vegetation and/or structures	
from streams shorelines	Sediment from banks or shorelines threatens to degrade water quality and limit use for intended purposes.	• Crop* • Forest • Range* • Developed Land* • Associated Ag Land* • Designated Protected Area* • Water* • Other Rural Land* • Farmsteads*		Streams, shoreline or channels are not adjacent to site	For shorelines and water conveyance channels; banks are stable or commensurate with normal geomorphological processes? AND If bank erosion is present, it is beyond the client's control or commensurate with normal geomorphological processes? AND For streambanks; SVAP2 bank condition element score >=5?	SVAP2
		• Pasture*			Bank erosion is it beyond the client's control or commensurate with normal geomorphological processes? AND PCS - streambank / shoreline erosion element score ≥ 4?	SVAP2 PCS - Pasture Condition Score

SOIL	Description	Land Use	Component	Screening	Assessment Level	Assessment Tools
DEGRADATION -	Loss of volume and depth of organic soils due to oxidation caused by above normal microbial activity resulting from excessive water drainage, soil disturbance, or extended drought. This excludes karst / sinkholes issues or depressions caused by underground activities.	Crop Forest Associated Ag Land Designated Protected Area Pasture		Histisol soils are not present OR Histisols soils are not exhibiting subsidence	Subsidence is adequately managed to meet client's objectives	Client input / planner observation
SOIL QUALITY DEGRADATION – Management induced soil compaction resulting in decreased rooting depth that	compaction resulting in decreased rooting depth that	Crop Forest Associated Ag Land Designated Protected Area Other Rural Land Pasture		Soil compaction is not a problem AND	Compaction is managed to meet Client's production and management objectives PCS – compaction element score ≥ 4	Observation of soil and/or plant condition Client input / planner observation PCS - Pasture Condition Score
Compaction	educes plant growth, animal abitat and soil biological ctivity.	• Range		Activities do not cause soil compaction problems	RHA - soil site stability - slight to moderate or less OR Compaction is managed to meet Client's production and management objectives	RHA - Rangeland Health Assessment Observation of soil and/or plant condition
		• Crop*			SCI > 0	RUSLE2 WEPS
		• Pasture		Permanent ground cover > 80%	SCI > 0 OR [PCS - plant cover element score ≥ 4 AND PCS - plant residue element score ≥ 4]	PCS - Pasture Condition Score RUSLE2
SOIL QUALITY DEGRADATION – Organic matter	Soil organic matter is not adequate to provide a suitable medium for plant growth, animal habitat, and soil biological activity.	• Range		Soil organic matter depletion is not a problem	[RHA - soil site stability slight to moderate or less AND RHA - biotic integrity attribute rating slight to moderate departure or less] OR Rangeland Planned Trend positive	RHA - Rangeland Health Assessment Rangeland Trend Worksheet
		• Forest		organic matter depletion	Ground cover meets state criteria specific to ecological site OR Soil organic matter is managed to meet Client objectives	Client input / planner observation

SOIL	Description	Land Use	Component	Screening	Assessment Level	Assessment Tools
SOIL QUALITY DEGRADATION – Concentration of salts or other chemicals	Concentration of salts leading to salinity and/or sodicity reducing productivity or limiting desired use, or concentrations of other chemicals impacting productivity or limiting desired use.			Activities do not cause salinity/sodicity problems	Conservation practices and managements are in place to mitigate on-site effects	Soil diagnostic evaluations
WATER	Description	Land Use	Component	Screening	Assessment Level	Assessment Tools
Surface water or poor EXCESS WATER – Ponding, flooding, seasonal high water table, seeps, and drifted Surface water or poor subsurface drainage restricts land use and management goals. Wind-blown snow accumulates around and over surface	• Crop • Forest • Farmsteads • Pasture	Ponding and Flooding	Ponding or flooding not a problem AND Activities do not cause ponding/flooding problems			
	Wind-blown snow accumulates	Range Developed Land Associated Ag Land	Seasonal High Water Table	Seasonal high water table does not cause a problem	Excess water is managed to meet Client's objectives	Client input / planner observation
	humans and animals.	Designated Protected Area Other Rural Land	Seeps	Excess water from seeps does not cause a problem		
			Drifted Snow	Drifted snow does not cause a problem		
INSUFFICIENT	Natural precipitation is not optimally managed to support	Crop Developed Land Forest Associated Ag Land Designated Protected Area		Moisture management is not a problem	Runoff and evapotranspiration levels are minimized to meet Client's management objectives	Client input / planner observation
WATER – Inefficient moisture management	desired land use goals or ecological processes.	• Range*		Activities do not cause inefficient moisture	RHA - hydrologic function attributes slight to moderate or less	RHA - Rangeland Health Assessment
		• Pasture		management problems	PCS – compaction element score ≥ 4 AND PCS – plant cover element score ≥ 4	PCS - Pasture Condition Score
INSUFFICIENT WATER – Inefficient use of irrigation water	Irrigation water is not stored, delivered, scheduled and/or applied efficiently. Aquifer or surface water withdrawals threaten sustained availability of ground or surface water. Available irrigation water supplies have been reduced due to aquifer depletion, competition, regulation and/or drought.	• All*		PLU is not irrigated	The irrigation system components and management meet state specific efficiency criteria	State identified measurement and assessment tools - Farm Irrigation Rating Index (FIRI), State Version

WATER	Description	Land Use	Component	Screening	Assessment Level	Assessment Tools
		• Crop*	Excess nutrients in surface water	Organic or inorganic nutrients are not applied	Nutrient and amendment applications are based on soil or tissue tests and nutrient budgets for realistic yields AND Conservation practices and managements are in place to minimize surface water impacts	Client input / planner observation
			Excess nutrients in groundwater	AND PLU is not grazed	Nutrient and amendment applications are based on soil or tissue tests and nutrient budgets for realistic yields AND Conservation practices and managements are in place to minimize groundwater impacts	Nutrient budget
	Nutrients - organic and	• Pasture*	Excess nutrients in surface water Excess nutrients in groundwater		PCS - streambank / shoreline erosion element score ≥ 4 AND PCS - livestock concentration areas element score	PCS – Pasture Condition Score Nutrient budget
WATER QUALITY DEGRADATION: Excess nutrients in surface and ground waters	inorganic - are transported to receiving waters through surface runoff and/or leaching into shallow ground waters in quantities that degrade water quality and limit use for	ng waters through surface and/or leaching into or ground waters in ies that degrade water and limit use for • Developed Land	Excess nutrients in surface water	Organic or inorganic nutrients are not applied	Nutrients if applied, are based on a soil test, tissue tests or nutrient budget AND Conservation practices and managements are in place to minimize surface water impacts	Nutrient Budget Client input / planner observation
	intended purposes.		Excess nutrients in groundwater		Nutrients if applied, are based on a soil test, tissue tests or nutrient budget AND Conservation practices and managements are in place to minimize groundwater impacts	
	Other Rural Land Associated Ag Land Designated Protected Area	Excess nutrients in surface water	Organic or inorganic nutrients are not applied AND PLU is not grazed	Nutrients if applied, are based on a soil test, tissue tests or nutrient budget AND Conservation practices and managements are in place to minimize surface water impacts	Nutrient Budget	
		WaterForestRange	Excess nutrients in groundwater	AND There are no confined livestock areas	Nutrients if applied, are based on a soil test, tissue tests or nutrient budget AND Conservation practices and managements are in place to minimize groundwater impacts	Client input / planner observation

WATER	Description	Land Use	Component	Screening	Assessment Level	Assessment Tools
WATER QUALITY DEGRADATION: Excess nutrients in surface and ground waters (continued) Nutrients - organic and inorganic - are transported to receiving waters through surfar runoff and/or leaching into shallow ground waters in quantities that degrade water quality and limit use for intended purposes.	inorganic - are transported to receiving waters through surface	• Farmsteads*	Excess nutrients in surface water	Organic or inorganic nutrients are not applied AND PLU is not grazed	Conservation practices and managements are in place to minimize surface water impacts AND Surface waters are protected from contamination due to runoff and leaching from storage sites, spill and other concentrated sources	Nutrient Budget
	quantities that degrade water quality and limit use for		Excess nutrients in groundwater	AND There are no confined livestock areas	Conservation practices and managements are in place to minimize groundwater impacts AND Groundwater is protected from contamination due to runoff and leaching from storage sites, spill and other concentrated sources	
WATER QUALITY DEGRADATION – Posticides transported	Pest control chemicals are transported to receiving waters	• All		Pest control chemicals are not applied	Pesticides are stored, handled, disposed and managed to prevent runoff, spills, leaks and leaching AND Conservation practices and managements are in place to minimize surface water impacts	Client input / planner observation
to surface and ground quality and lin	in quantities that degrade water quality and limit use for intended purposes.		Pesticides transported to groundwater	Pest control chemicals are not applied	Pesticides are stored, handled, disposed and managed to prevent runoff, spills, leaks and leaching AND Conservation practices and managements are in place to minimize groundwater impacts	WinPST
WATER QUALITY DEGRADATION — Excess pathogens and chemicals from manure, into incompost applications lead to compost applications	intended purposes. This resource concern also includes the off-site transport of leachate and runoff from	• Crop* • Farmsteads* • Forest • Developed Land • Associated Ag Land • Other Rural Land • Designated Protected Area • Water • Pasture*	Pathogens and chemicals from manure, bio-solids, or compost applications transported to surface water	Potential sources of pathogens or pharmaceuticals are not applied on the land	Organic materials are applied, stored, and/or handled to mitigate negative impacts to surface water sources	
			Pathogens and chemicals from manure, bio-solids, or compost applications transported to groundwater	Potential sources of pathogens or pharmaceuticals are not applied on the land	Organic materials are applied, stored, and/or handled to mitigate negative impacts to groundwater sources	Client input / planner observation

WATER	Description	Land Use	Component	Screening	Assessment Level	Assessment Tools
WATER QUALITY DEGRADATION – Excessive salts in surface and ground waters	Irrigation or rainfall runoff transports salts to receiving water in quantities that degrade water quality and limit use for intended purposes.	• All	Excessive salts in surface water Excessive salts in groundwater	Excess salt is not a problem AND Activities do not contribute to excess salt problem	Salt concentrations are managed to mitigate off- site transport to surface waters Salt concentrations are managed to mitigate off- site transport to groundwater	Client input / planner observation
WATER QUALITY DEGRADATION – Petroleum, heavy	Heavy metals, petroleum and other pollutants are transported to receiving water sources in	• All Petr meta poll	Petroleum, heavy metals, and other pollutants transported to surface water	Activities do not present the potential for contamination by petroleum, heavy metals and other pollutants	Petroleum, heavy metals or other potential pollutants are stored and handled to avoid runoff to surface water	—Client input / planner observation
metals and other pollutants transported to receiving waters	metals and other quantities that degrade water quality and limit use for		Petroleum, heavy metals, and other pollutants transported to groundwater	Activities do not present the potential for contamination by petroleum, heavy metals and other pollutants	Petroleum, heavy metals or other potential pollutants are stored and handled to avoid leaching to groundwater	
WATER QUALITY DEGRADATION – Excessive sediment in surface waters fr er er th	Off-site transport of sediment from sheet, rill, gully, and wind erosion into surface water that threatens to degrade surface water quality and limit use for intended purposes.	• Crop* • Developed Land* • Farmsteads* • Other Rural Land • Associated Ag Land • Designated Protected Area • Water • Pasture*		Permanent ground cover > 90% and slope < 10% AND Classic gullies are not present AND Streams or shoreline are not on or adjacent to site	Upslope treatment and buffer practices address concentrated flows to water bodies $ \begin{array}{l} \textbf{AND} \\ \textbf{SVAP2 - bank condition} \geq 5 \\ \textbf{AND} \\ \textbf{Livestock and vehicle water crossings are stable} \\ \textbf{AND} \\ \textbf{Water erosion rate} \leq T \\ \textbf{AND} \\ \textbf{Wind erosion rate} \leq T \\ \end{array} $	RUSLE2 WEPS Client input / planner observation SVAP2
		• Forest*		There are no untreated sources of erosion AND Streams or shoreline are not on or adjacent to site	Upslope treatment and buffer practices address concentrated flows to water bodies AND Heavy use areas are stable AND SVAP2 - bank condition ≥ 5	Client input / planner observation SVAP2
		• Range*			RHA - hydrologic function attribute - slight to moderate or less	RHA - Rangeland Health Assessment SVAP2

WATER	Description	Land Use	Component	Screening	Assessment Level	Assessment Tools
DEGRADATION – Elevated water	Surface water temperatures exceed State/Federal standards and/or limit use for intended purposes.	• All		Water courses on or adjacent to the site are not designated by a State Agency as a temperature impairment OR Water course temperature is not a client concern	I A NID	Client input / planner observation SVAP2
PLANT	Description	Land Use	Component	Screening	Assessment Level	Assessment Tools
Plant productivity, vigor and/or quality negatively impacts other	Plant productivity, vigor and/or quality negatively impacts other resources or does not meet yield potential due to improper	Crop Farmsteads Developed Land Designated Protected Area Associated Ag Land Other Rural Land		Plant production and health is not a client concern	Plants are adapted to the site, meet production goals and do not negatively impact other resources AND Plant damage from wind erosion is below Crop Damage Tolerance levels Vegetation meet similarity index or range condition score of 60 or greater for desired plant community and has a positive trend	Client input / planner observation Crop Tolerance Table RHA - Rangeland Health Assessment
CONDITION – Undesirable plant productivity and health	fertility, management or plants not adapted to site. This includes addressing	• Range*			OR RHA – biotic integrity attribute rating - slight to moderate departure or less	Rangeland Trend Worksheet Similarity Index Worksheet
	pollinators and beneficial insects.	• Pasture*		Plant production and health is not a client concern	PCS - 30 or above Plants are adapted to the site, meet production goals and do not negatively impact other resources	PCS - Pasture Condition Score
		• Forest		Plant production and health is not a client concern	Forest species are adapted to site AND Composition and stand density meets the Client's objectives and production goals	Forest Inventory plots and/or transects

PLANT	Description	Land Use	Component	Screening	Assessment Level	Assessment Tools
	Plant communities have insufficient composition and	 Forest Designated Protected Area Associated Ag Land Water Pasture 		Plant communities support the intended land use and desired ecological functions	Plant communities contain adequate diversity, composition and structure to support desired ecological functions	Ecological Site Descriptions
DEGRADED PLANT CONDITION – Inadequate structure and composition	structure to achieve ecological functions and management objectives. This includes degradation of wetland habitat targeted	• Range*		desired ecological functions	Plant communities contain adequate diversity, composition and structure to support desired ecological functions OR RHA – biotic integrity attribute rating slight to moderate departure or less OR Vegetation meet similarity index of 60 or greater for desired plant community and has a positive trend	Ecological Site Descriptions RHA - Rangeland Health Assessment Rangeland Trend Worksheet
plant, animal and insect species.	 Crop Forest* Farmsteads Range* Developed Land Associated Ag Land Designated Protected Area Water Other Rural Land 		Plant productivity is not limited from pest pressure	Pest damage to plants are below economic or environmental thresholds or client-identified criteria AND Plant pests, including noxious and invasive species are managed to meet client objectives	Client input / planner observation	
		• Pasture*		Plant productivity is not limited from pest pressure	PCS - insect and disease pressure element score \geq 4 AND PCS - site adaptation element score \geq 4	PCS - Pasture Condition Score
hazard, excessive	The kinds and amounts of fuel loadings - plant biomass - create wildfire hazards that pose risks to human safety, structures, plants, animals, and air resources.	• All		Wildfire hazard is not a	Fuel loads and fuel ladders are managed to provide defensible space and meet client objectives	Client input / planner observation

ANIMAL	Description	Land Use	Component	Screening	Assessment Level	Assessment Tools
			Quantity, quality of food is inadequate to meet requirements of identified fish, wildlife or invertebrate species		WHSI rating ≥ 0.5 AND (when surface stream present) [SVAP2 – fish habitat complexity element score ≥ 7 AND SVAP2 – aquatic invertebrate habitat element score ≥ 7] OR Conservation practices and management are in place that meet or exceed species or guild-specific habitat model thresholds OR Food is available in quality and extent to support habitat requirements for the species of interest	
AND WILDLIFE -	Quantity, quality or connectivity of food, cover, space, shelter and/or water is inadequate to meet requirements of identified fish, wildlife or invertebrate species.	All with "wildlife" modifier - (Required when Land Use has a wildlife modifier)	Quantity, quality of water is inadequate to meet requirements of identified fish, wildlife or invertebrate species		WHSI rating ≥ 0.5 AND (when surface stream present) SVAP2 – aquatic invertebrate habitat element score ≥ 7 OR Conservation practices and management are in place that meet or exceed species or guild-specific habitat model thresholds OR Water is available in quality and extent to support habitat requirements for the species of interest	Species-specific wildlife habitat assessment tools SVAP2 Generalized WHS Index finalized by States, and detailed models by selected species and habitat type
			Quantity, quality or cover/shelter is inadequate to meet requirements of identified fish, wildlife or invertebrate species		WHSI rating ≥ 0.5 AND (when surface stream present) [SVAP2 – barriers to movement element score ≥ 7 AND SVAP2 – fish habitat complexity element score ≥ 7 AND SVAP2 – aquatic invertebrate habitat element score ≥ 7 OR Conservation practices and management are in place that meet or exceed species or guild-specific habitat model thresholds OR Cover is of available quality and extent to support habitat requirements for the species of interest	

ANIMAL	Description	Land Use	Component	Screening	Assessment Level	Assessment Tools
INADEQUATE HABITAT FOR FISH AND WILDLIFE – Habitat degradation	and/or water is inadequate to	All with "wildlife" modifier - (Required when Land Use has a	Habitat continuity and/or space is inadequate to meet requirements of identified fish, wildlife or invertebrate species		WHSI rating ≥ 0.5 AND (when surface stream present) [SVAP2 – barriers to movement element score ≥ 7 AND SVAP2 – aquatic invertebrate habitat element score ≥ 7] OR Conservation practices and management are in place that meet or exceed species or guild-specific habitat model thresholds OR The connectivity of habitat components are adequate to support stable populations of targeted species	Species-specific wildlife habitat assessment tools SVAP2 Generalized WHS Index finalized by States, and detailed models by selected species and habitat type
PRODUCTION LIMITATION – Inadequate feed and	Feed and forage quality or quantity is inadequate for nutritional needs and production goals of the kinds and classes of livestock.	• All with "grazed" modifier (Applicable when Land Use is grazed)			Livestock forage, roughage and supplemental nutritional requirements addressed.	Client input / planner observation GRAS - Grassland Resource Analysis System
PRODUCTION LIMITATION – Inadequate livestock		All with "grazed" modifier (Applicable when Land Use is grazed)			Artificial or natural shelters meet animal health needs and client objectives.	Client input / planner observation
PRODUCTION LIMITATION –	Quantity, quality and/or distribution of drinking water are insufficient to maintain health or production goals for the kinds and classes of livestock.	• All with "grazed" modifier (Applicable when Land Use is grazed)			Water of acceptable quality and quantity adequately distributed to meet animal needs.	Client input / planner observation GRAS - Grassland Resource Analysis System - Tool for water distribution

ENERGY	Description	Land Use	Component	Screening	Assessment Level	Assessment Tools
INEFFICIENT ENERGY USE – Equipment and facilities	Inefficient use of energy in the Farm Operation increases dependence on non-renewable energy sources that can be addressed through improved energy efficiency and the use of on-farm renewable energy sources. As an example, this concern addresses inefficient energy use in pumping plants, on-farm processing, drying and storage.	• All		Client is not interested in improving equipment and facilities energy efficiency	A USDA approved energy audit been implemented that address equipment and facilities to meet client objectives OR On-farm renewable energy and/or energy conserving practices have been implemented to meet client objectives	Client input / planner observation USDA approved Energy Audit NRCS Energy Estimator
INEFFICIENT ENERGY USE – Farming/ranching	Inefficient use of energy in field operations increases dependence on non-renewable energy sources that can be addressed through improved efficiency and the use of on-farm renewable energy sources.	• All		Client is not interested in improving energy use in farm and ranch field operations	A USDA approved energy audit been implemented that address field operations to meet client objectives OR On-farm renewable energy and/or energy conserving practices have been implemented to meet client objectives	Client input / planner observation USDA approved Energy Audit NRCS Energy Estimator Conservation on the Farm Checklist

AIR	Description	Land Use	Component	Screening	Assessment Level	Assessment Tools
AIR QUALITY IMPACTS - Emissions of Particulate Matter - PM - and PM Precursors	Direct emissions of particulate matter - dust and smoke -, as well as the formation of fine particulate matter in the atmosphere from other agricultural emissions - ammonia, NOx, and VOCs - cause multiple environmental impacts, such as: - The unintended movement of particulate matter - typically dust or smoke - results in safety or nuisance visibility restriction. - The unintended movement of particulate matter and/or chemical droplets results in unwanted deposits on surfaces. - Increased atmospheric concentrations of particulate matter can impact human and animal health and degrade regional visibility.	Crop Pasture Range Forest Other Rural Land Associated Ag Land Designated Protected Areas Developed Land Farmsteads		Activities are not present that contribute to agricultural source PM or PM precursor emissions PM Producing Activity Examples: • Prescribed Burn is conducted • Travel ways unpaved or untreated with binding agents • Engines (combustion source) • Tillage • Pesticides are applied • Fertilization (manure/commercial) • CAFO/manure management) AND Episodes or complaints of emissions of PM (dust, smoke, exhaust, etc.), or chemical drift have not occurred	PM and PM Precursor emissions are managed to meet client objectives	Client input / planner observation
AIR QUALITY IMPACTS - Emissions of Greenhouse Gases - GHGs	Emissions increase atmospheric concentrations of greenhouse gases.	• All		Activities are not present that produce GHGs emissions GHG Producing Activities: • Fertilization (manure/commercial) • CAFO/manure management • Engines (combustion source) • Tillage AND GHGs are not regulated in this planning area	Greenhouse gas emissions are managed to meet client objectives	Client input / planner observation

AIR	Description	Land Use	Component	Screening	Assessment Level	Assessment Tools
AIR QUALITY IMPACTS - Emissions of Ozone Precursors	Emissions of ozone precursors - NOx and VOCs - resulting in formation of ground- level ozone that cause negative impacts to plants and animals.	• All		Operations are not present that produce ozone or precursor emissions Ozone Producing Activities: • Engines (combustion source) • Pesticide application • Burning • CAFO/manure management • Fertilization (manure /commercial)	Ozone precursor emissions are managed to meet client objectives	Client input / planner observation
AIR QUALITY IMPACTS - Objectionable odors	Emissions of odorous compounds - VOCs, ammonia and odorous sulfur compounds - cause nuisance conditions.	Crop Pasture Farmsteads Other Rural Land		Activities are not present that contribute to nuisance air quality conditions Nuisance Producing Activities: Pesticide application CAFO / manure management Composting is conducted AND Odor sources are not regulated in this planning area AND Episodes or complaints of emissions of PM (dust, smoke, exhaust, etc.), or chemical drift have not occurred	Odors are managed to meet client objectives	Client input / planner observation